Author index

Abrahamson, J.K., see Bergstrom, D.E. (1061) 95
Adams, V., see Kottke, M. (1061) 215
Alder, G.M., Arnold, W.M., Bashford, C.L., Drake, A.F., Pasternak, C.A. and Zimmermann, U.
Divalent cation-sensitive pores formed by natural and synthetic melittin and by Triton X-100 (1061) 111
Allen, T.M., Austin, G.A., Chonn, A., Lin, L. and Lee, K.C.
Uptake of liposomes by cultured mouse bone marrow macrophages: influence of liposome composition and size (1061) 56
Arnold, W.M., see Alder, G.M. (1061) 111
Ashworth, K.J., see Kirk, K. (1061) 305
Austin, G.A., see Allen, T.M. (1061) 56

Balgavy, P., see Lohner, K. (1061) 132
Bashford, C.L., see Alder, G.M. (1061) 111
Bayerl, T., see Heise, H. (1061) 121
Bellis, S.L., Grosvenor, W., Kass-Simon, G. and Rhoads, D.E.
Chemoreception in *Hydra vulgaris* (*attenuata*): initial characterization of two distinct binding sites for L-glutamic acid (1061) 89
Benga, G., Popescu, O., Borza, V., Hodârnău, A., Pop, V.I. and Wrigglesworth, J.
Water transport in human red cells: effects of 'non-inhibitory' sulfhydryl reagents (1061) 309
Benz, R., see De Pinto, V. (1061) 279
Berenski, C.J., see Jhun, B.H. (1061) 149
Bergstrom, D.E., Abrahamson, J.K. and Chan, M.Y.-M.
Nucleoside and nucleotide transport through a model liquid membrane. Periodic-catastrophic transport of a novel amantadine phosphoramidate conjugate of 5′-AMP (1061) 95
Bernhardt, I., see Erdmann, A. (1061) 85
Beschiaschvili, G. and Seelig, J.
Peptide binding to lipid membranes. Spectroscopic studies on the insertion of a cyclic somatostatin analog into phospholipid bilayers (1061) 78
Bonilla-Marín, M., Moreno-Bello, M. and Ortega-Blake, I.
A microscopic electrostatic model for the amphotericin B channel (1061) 65
Borza, V., see Benga, G. (1061) 309
Bossant, M.-J., see Hullin, F. (1061) 15
Brdiczka, D., see Kottke, M. (1061) 215
Burden, R.S., see Cooke, D.T. (1061) 156
Bursaux, E., see Yannoukakos, D. (1061) 253

Caride, A.J., see Rossi, J.P.F.C. (1061) 49
Cass, C.E., see Jhun, B.H. (1061) 149
Chan, M.Y.-M., see Bergstrom, D.E. (1061) 95
Chonn, A., see Allen, T.M. (1061) 56
Cook, N.J., see Friedel, U. (1061) 247
Cooke, D.T., Munkonge, F.M., Burden, R.S. and James, C.S.
Fluidity and lipid composition of oat and rye shoot plasma membrane: effect of sterol perturbation by xenobiotics (1061) 156
Craik, J.D., see Jhun, B.H. (1061) 149

Dempsey, C.E. and Sternberg, B.
Reversible disc-micellization of dimyristoylphosphatidylcholine bilayers induced by melittin and [Ala-14]melittin (1061) 175
De Pinto, V., Zara, V., Benz, R., Gnoni, G.V. and Palmieri, F.
Characterization of pore-forming activity in liver mitochondria from *Anguilla anguilla*. Two porins in mitochondria? (1061) 279
De Pont, J.J.H.H.M., see Van der Hijden, H.T.W.M. (1061) 141
Drake, A.F., see Alder, G.M. (1061) 111
Dunlap, J.A., see Yorek, M.A. (1061) 1

Eleno, N., see Marín, J.J.G. (1061) 9
Elford, B.C., see Kirk, K. (1061) 305
Ellory, J.C., see Erdmann, A. (1061) 85
Ellory, J.C., see Kirk, K. (1061) 305
Erdmann, A., Bernhardt, I., Pittman, S.J. and Ellory, J.C.
Low potassium-type but not high potassium-type sheep red blood cells show passive K^+ transport induced by low ionic strength (1061) 85

Famulski, K.S., see Pikuła, S. (1061) 206
Friedel, U., Wolbring, G., Wohlfart, P. and Cook, N.J.
The sodium–calcium exchanger of bovine rod photoreceptors: K^+-dependence of the purified and reconstituted protein (1061) 247
Frimmer, M., see Ziegler, K. (1061) 287

George, S.K., Najera, L., Sandoval, R. and Ihler, G.M.
β-Galactosidase fused to the hydrophobic domain of cytochrome b_5 spontaneously associates with liposomes (1061) 26
Ghosh, A., see Rana, A.P.S. (1061) 185
Gloux, K., see Le Rudulier, D. (1061) 197
Gnoni, G.V., see De Pinto, V. (1061) 279
Gordeliy, V.I., Ivkov, V.G., Ostanevich, Y.M. and Yaguzhinskij, L.S.
Detection of structural defects in phosphatidylcholine membranes by small-angle neutron scattering. The cluster model of a lipid bilayer (1061) 39
Gottesman, M.M., see Horio, M. (1061) 106
Grassl, S.M.
Effect of chronic acid loading on rat renal basolateral membrane bicarbonate transport (1061) 226
Grosvenor, W., see Bellis, S.L. (1061) 89

Heinemann, S.H., see Stankovic, C.J. (1061) 163
Heise, H., Bayerl, T., Isenberg, G. and Sackmann, E.
Human platelet P-235, a talin-like actin binding protein, binds selectively to mixed lipid bilayers (1061) 121
Hermetter, A., see Lohner, K. (1061) 132
Hodârnău, A., see Benga, G. (1061) 309
Horio, M., Lovelace, E., Pastan, I. and Gottesman, M.M.
Agents which reverse multidrug-resistance are inhibitors of [^{3}H]vinblastine transport by isolated vesicles (1061) 106
Hu, L.-r., see MacDonald, R.C. (1061) 297
Hullin, F., Bossant, M.-J. and Salem, Jr., N.
Aminophospholipid molecular species asymmetry in the human erythrocyte plasma membrane (1061) 15

Ihler, G.M., see George, S.K. (1061) 26
Isenberg, G., see Heise, H. (1061) 121
Ivkov, V.G., see Gordeliy, V.I. (1061) 39

James, C.S., see Cooke, D.T. (1061) 156
Jhun, B.H., Berenski, C.J., Craik, J.D., Paterson, A.R.P., Cass, C.E. and Jung, C.Y.
Glucose and nucleoside transporters of human erythrocytes: effects of detergents on immunoadsorption of a membrane protein to its monoclonal antibody (1061) 149
Jung, C.Y., see Jhun, B.H. (1061) 149

Kass-Simon, G., see Bellis, S.L. (1061) 89
Kirk, K., Ashworth, K.J., Elford, B.C., Pinches, R.A. and Ellory, J.C.
Characteristics of $^{86}Rb^+$ transport in human erythrocytes infected with *Plasmodium falciparum* (1061) 305
Koster, H.P.G., see Van der Hijden, H.T.W.M. (1061) 141
Kottke, M., Adams, V., Wallimann, T., Nalam, V.K. and Brdiczka, D.
Location and regulation of octameric mitochondrial creatine kinase in the contact sites (1061) 215

Laggner, P., see Lohner, K. (1061) 132
Lee, K.C., see Allen, T.M. (1061) 56
Le Rudulier, D., Gloux, K. and Riou, N.
Identification of an osmotically induced periplasmic glycine betaine-binding protein from *Rhizobium meliloti* (1061) 197
Lin, L., see Allen, T.M. (1061) 56
Lins, W., see Ziegler, K. (1061) 287
Lohner, K., Balgavy, P., Hermetter, A., Paltauf, F. and Laggner, P.
Stabilization of non-bilayer structures by the etherlipid ethanolamine plasmalogen (1061) 132
Lovelace, E., see Horio, M. (1061) 106

MacDonald, R.C., MacDonald, R.I., Menco, B.P.M., Takeshita, K., Subbarao, N.K. and Hu, L.-r.
Small-volume extrusion apparatus for preparation of large, unilamellar vesicles (1061) 297
MacDonald, R.I., see MacDonald, R.C. (1061) 297
Majumder, G.C., see Rana, A.P.S. (1061) 185
Marín, J.J.G., Tabernero Urbieta, A., Pérez Barriocanal, F., Rodríguez Barbero, E. and Eleno, N.
Plasma membrane-bound carbonic anhydrase activity in the regenerating rat liver (1061) 9
Menco, B.P.M., see MacDonald, R.C. (1061) 297
Misra, S., see Rana, A.P.S. (1061) 185
Mitsumoto, Y. and Mohri, T.
Reconstitution of the L-leucine-H^+ cotransporter of the plasma membrane from Chang liver cells into proteoliposomes (1061) 171
Mohri, T., see Mitsumoto, Y. (1061) 171
Moreno-Bello, M., see Bonilla-Marín, M. (1061) 65
Moy, F.T., see Smotkin, E.S. (1061) 33
Munkonge, F.M., see Cooke, D.T. (1061) 156

Najera, L., see George, S.K. (1061) 26
Nalam, V.K., see Kottke, M. (1061) 215

Ortega-Blake, I., see Bonilla-Marín, M. (1061) 65
Ostanevich, Y.M., see Gordeliy, V.I. (1061) 39

Palmieri, F., see De Pinto, V. (1061) 279
Paltauf, F., see Lohner, K. (1061) 132
Pastan, I., see Horio, M. (1061) 106
Pasternak, C.A., see Alder, G.M. (1061) 111
Paterson, A.R.P., see Jhun, B.H. (1061) 149
Pérez Barriocanal, F., see Marín, J.J.G. (1061) 9
Piau, J.-P., see Yannoukakos, D. (1061) 253
Pikuła, S., Wrzosek, A. and Famulski, K.S.
Long-term stabilization and crystallization of $(Ca^{2+} + Mg^{2+})$-ATPase of detergent-solubilized erythrocyte plasma membrane (1061) 206
Pinches, R.A., see Kirk, K. (1061) 305
Pittman, S.J., see Erdmann, A. (1061) 85
Plachy, W.Z., see Smotkin, E.S. (1061) 33
Pop, V.I., see Benga, G. (1061) 309
Popescu, O., see Benga, G. (1061) 309
Pratap, P.R., see Robinson, J.D. (1061) 267

Quinn, P.J., see Sutton, G.C. (1061) 235

Rana, A.P.S., Majumder, G.C., Misra, S. and Ghosh, A.
Lipid changes of goat sperm plasma membrane during epididymal maturation (1061) 185
Rhoads, D.E., see Bellis, S.L. (1061) 89
Riou, N., see Le Rudulier, D. (1061) 197
Robinson, J.D. and Pratap, P.R.
Na^+/K^+-ATPase: modes of inhibition by Mg^{2+} (1061) 267
Rodríguez Barbero, E., see Marín, J.J.G. (1061) 9
Rossi, J.P.F.C. and Caride, A.J.
Inhibition of the phosphatase activity of the red cell membrane Ca^{2+} pump by acidic phospholipids (1061) 49
Russell, N.J., see Sutton, G.C. (1061) 235

Sackmann, E., see Heise, H. (1061) 121
Salem, Jr., N., see Hullin, F. (1061) 15
Sandoval, R., see George, S.K. (1061) 26
Schreiber, S.L., see Stankovic, C.J. (1061) 163
Seelig, J., see Beschiaschvili, G. (1061) 78
Smotkin, E.S., Moy, F.T. and Plachy, W.Z.
Dioxygen solubility in aqueous phosphatidylcholine dispersions (1061) 33
Stankovic, C.J., Heinemann, S.H. and Schreiber, S.L.
Photo-modulated ion channels based on covalently linked gramicidins (1061) 163
Sternberg, B., see Dempsey, C.E. (1061) 175
Subbarao, N.K., see MacDonald, R.C. (1061) 297
Sutton, G.C., Russell, N.J. and Quinn, P.J.
The effect of salinity on the phase behaviour of total lipid extracts and binary mixtures of the major phospholipids isolated from a moderately halophilic eubacterium (1061) 235
Swarts, H.G.P., see Van der Hijden, H.T.W.M. (1061) 141

Tabernero Urbieta, A., see Marín, J.J.G. (1061) 9
Takeshita, K., see MacDonald, R.C. (1061) 297

Van der Hijden, H.T.W.M., Koster, H.P.G., Swarts, H.G.P. and De Pont, J.J.H.H.M.
Phosphorylation of H^+/K^+-ATPase by inorganic phosphate. The role of K^+ and SCH 28080 (1061) 141
Vasseur, C., see Yannoukakos, D. (1061) 253

Wajcman, H., see Yannoukakos, D. (1061) 253
Wallimann, T., see Kottke, M. (1061) 215
Wohlfart, P., see Friedel, U. (1061) 247
Wolbring, G., see Friedel, U. (1061) 247
Wrigglesworth, J., see Benga, G. (1061) 309
Wrzosek, A., see Pikuła, S. (1061) 206

Yaguzhinskij, L.S., see Gordeliy, V.I. (1061) 39
Yannoukakos, D., Vasseur, C., Piau, J.-P., Wajcman, H. and Bursaux, E.
Phosphorylation sites in human erythrocyte band 3 protein (1061) 253
Yorek, M.A. and Dunlap, J.A.
Resting membrane potential in 41A3 mouse neuroblastoma cells. Effect of increased glucose and galactose concentrations (1061) 1

Zara, V., see De Pinto, V. (1061) 279
Ziegler, K., Lins, W. and Frimmer, M.
Hepatocellular transport of cyclosomatostatins: evidence for a carrier system related to the multispecific bile acid transporter (1061) 287
Zimmermann, U., see Alder, G.M. (1061) 111